Kwiktech Door

Door Assembly Manual

User Manual

Read in conjuction with
Kwiktech Build Guide and
Kwiktech Tips & Tricks

Designed by

kwik tech.

Rating: Refer to Kwiktech

Test Specifications

Rev 1.1

Construction using Kwiktech
products may require planning
approval. Always contact your Local
Council for the most up-to-date
rules and regulations for your area.

All dimensions are in millimeters
(mm)

Kwiktech Door

Door Assembly Manual

User Manual

Read in conjuction with Kwiktech Build Guide and Kwiktech Tips & Tricks

Designed by

kwik tech.

Rating: Refer to Kwiktech

Test Specifications

Rev 1.1

Construction using Kwiktech products may require planning approval. Always contact your Local Council for the most up-to-date rules and regulations for your area.

All dimensions are in millimeters (mm)

General Arrangement

Door Assembly Manual

User Manual

Read in conjuction with
Kwiktech Build Guide and
Kwiktech Tips & Tricks

Designed by

kwik tech.

Rating: Refer to Kwiktech

Test Specifications

Rev 1.1

Construction using Kwiktech
products may require planning
approval. Always contact your Local
Council for the most up-to-date
rules and regulations for your area.

All dimensions are in millimeters
(mm)

2165mm

2204mm

2804mm

1455mm

2352mm

Materials List

Door Assembly Manual

User Manual

Read in conjuction with Kwiktech Build Guide and Kwiktech Tips & Tricks

Designed by

kwik tech.

Rating: Refer to Kwiktech Test Specifications

Rev 1.1

Construction using Kwiktech products may require planning approval. Always contact your Local Council for the most up-to-date rules and regulations for your area.

All dimensions are in millimeters (mm)

KWIKTECH KITS

ITEM	QUANTITY	RESELLER RPICE
Kwiktech DIY Creator Kit (NOTE: Some items will not be used)	1	
Kwiktech DIY Square Kit (NOTE: Some items will not be used)	1	

NON KWIKTECH ITEMS

ITEM	ITEM ID #	ASSEMBLY ID #	LENGTH	COLOUR	QUANTITY	RESELLER RPICE
SHS 50x50x1.5mm	① ②	Ⓐ Ⓑ	2833*	Galv	2	
SHS 50x50x1.5mm	③ ④	Ⓒ	2733*	Galv	2	
SHS 50x50x1.5mm	⑤		2163	Galv	2	
SHS 50x50x1.5mm	⑥	Ⓓ	2153	Galv	1	
SHS 50x50x1.5mm	⑦	Ⓔ	1255	Galv	2	
SHS 50x50x1.5mm	⑧	Ⓕ	493	Galv	4	
SHS 50x50x1.5mm	⑨	Ⓖ	240	Galv	4	
RHS 38x25x1.2mm	⑩	Ⓓ	2223	Galv	1	
RHS 38x25x1.2mm	⑪		2023	Galv	2	
RHS 38x25x1.2mm	⑫	Ⓐ Ⓑ	2000	Galv	2	
RHS 38x25x1.2mm	⑬		1852	Galv	2	
RHS 38x25x1.2mm	⑭	Ⓔ	1325	Galv	2	
RHS 38x25x1.2mm	⑮	Ⓒ	1000	Galv	2	
RHS 38x25x1.2mm	⑯	Ⓕ	563	Galv	4	
RHS 38x25x1.2mm	⑰	Ⓖ	310	Galv	4	

*NOTE: If fixing the shed on existing concrete, reduce these member lengths by 600mm.

Materials List

Door Assembly Manual

User Manual

Read in conjuction with Kwiktech Build Guide and Kwiktech Tips & Tricks

Designed by

kwiktech.

Rating: Refer to Kwiktech

Test Specifications

Rev 1.1

Construction using Kwiktech products may require planning approval. Always contact your Local Council for the most up-to-date rules and regulations for your area.

All dimensions are in millimeters (mm)

NON KWIKTECH ITEMS

ITEM	ID #	LENGTH	COLOUR	QUANTITY	RESELLER RPICE
TrimDek Cladding 762x29 - Front Outers	CL 1	2450	Customers Coice	2	
TrimDek Cladding 762x29 - Door	CL 2	2165		2	
TrimDek Cladding 762x29 - Front above Door	CL 3	280		2	
Door Frame Housing Flashing	FL 1	2172		2	
Door Side Flashing	FL 2	2165		2	
Above Door Flashing	FL 3	1590		1	
Internal Door Frame Flashing	FL 4	1518		1	
Door Lock Flashing	FL 5	48	Galv	1	
Angle Bracket Flashing	FL 6	110	Galv	8	
100x100x2.5 Zinc Plated Butt Hinge		100	Galv	3	
VATER Tee Handle Kit & Inside Latch		-	-	1	
Flat Top Screw		16	Galv	100	
Tek Screw 16mmx10g Coloured		16	Customers Choice	100	
Tek Screw 45mmx12g Coloured - Neo		45		25	
M12x75 4.6 Hex head Galv Bolt & Nut		75	Galv	6	
P1326H Ninety Degree Fitting HG		105	Galv	12	
Dynabolt DP12100 M10 12x100 Galv		100	Galv	12	
38x25 Black Plastic Post Cap		38	Black	2	
			Sub-Total		
			GST		
			Shipping		
			Total Cost		

(Note beside FL rows: Refer to page 17 for details)

(Note beside bolt rows: Only required if fixing to existing concrete.)

Build Preparation

**Rail Inserts**   **Extra Strong Rails**   **Universal Connectors**   **Door Stopper**   **Footing Preparation**

Assembly Sequence

Fabricate   **Erect & Fabricate**   **Cladding & Flashings**   **Finished Product**

KWIKTECH FIXINGS & ACCESSORIES

ITEM	QUANTITY	ITEM	QUANTITY
Post Connector (KT-P-001)	0	10G x 16 Self Drilling Wafer Head Screw	200
Universal Connector (KT-P-002)	32	M6 x 40 Socket Head Cap Screw - Zinc	32
Rail Inserts (KT-P-003)	24	M6 x 20 Hex Head Bolt - Galv	0
60° Rail Inserts (KT-P-004)	8	M6 Nut - Galv	0
Star Picket Guide (KT-P-005)	0	Kwiktech 2mm Displacement Plate	0
Post Cap (KT-P-006)	0	Right Angle Bracket - Zinc	3
Tension Strapping 0.8 x 30 x 85mm	0	Assembly Wedge - Rubber	0
Tension Strapping 0.8x 30 x 95mm	0	10G x 16 Self Drilling Small Head Flat Top Screw	0
Tension Strapping 0.8 x 30 x 135mm	0		
Tension Strapping 0.8 x 30 x 250mm	0		

HOLLOW METAL TOTAL

ITEM	TOTAL LENGTH
Duragal 75x50x2.0mm	0
Duragal 50x50x1.5mm	24m
Duragal 38x25x1.2mm	23m

FOR INFORMATION ONLY

INDIVIDUALLY SOLD ITEMS

Member Locations

Door Assembly Manual

User Manual

Read in conjuction with
Kwiktech Build Guide and
Kwiktech Tips & Tricks

Designed by

kwik tech.

Rating: Refer to Kwiktech

Test Specifications

Rev 1.1

This Manual is the sole property of
Kwiktech Pty Ltd.
All rights are reserved.

This Manual is designed to be only
used with Kwiktech
produced products.

No part of this Manual or the
Kwiktech product design may be
copied or reproduced without the
consent of Kwiktech Pty Ltd.

Construction using Kwiktech
products may require planning
approval. Always contact your Local
Council for the most up-to-date
rules and regulations for your area.

All dimensions are in millimeters
(mm)

NOTE: Some member ID's hidden for clarity.